



检测报告

Test Report

送检企业: 福建珍鲜康餐饮管理有限公司

样品名称: 上海青

检验类别: 委托检验

厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co.Ltd



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20250516A1122

样品名称	: 上海青	型号规格	: /
商标	: /	样品数量	: 500 g
委托单位	: 福建珍鲜康餐饮管理有限公司		
委托单位地址	: 福建省泉州市晋江市东石镇金瓯村金瓯西区 360 号		
生产单位	: 福建珍鲜康餐饮管理有限公司		
生产单位地址	: 福建省泉州市晋江市东石镇金瓯村金瓯西区 360 号		
检验类别	: 委托检验	测试日期	: 2025 年 05 月 08 日-2025 年 05 月 16 日
签发日期	: 2025 年 05 月 16 日		
检验依据	: 附后		
检验项目	: 见后续		
样品特征和状态	: 完好		
环境温度	: 24.6℃	环境湿度	: 63.8%
测试结果	: 本次委托检验, 所检项目全部合格		

报告编制: 张华伟

报告审核: 杨泽群

报告签发: 杨泽群



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI20250516A1122

检测结果:

序号	检测项目	单位	检测方法	检测结果	单项判定
1	阿维菌素	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
2	艾氏剂	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
3	苯醚甲环唑	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
4	丙环唑	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
5	丙炔氟草胺	mg/kg	GB 23200.8-2016	未检出 (定量限: 0.0250mg/kg)	合格
6	哒螨灵	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
7	稻丰散	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
8	稻瘟灵	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
9	滴滴涕 (p, p'-滴滴涕、o, p'-滴滴涕、p, p'-滴滴伊和 p, p'-滴滴涕之和)	mg/kg	GB 23200.113-2018	未检出 (定量限: p, p'-滴滴涕 0.01mg/kg、o, p'-滴滴涕 0.01mg/kg、p, p'-滴滴伊 0.01mg/kg、p, p'-滴滴涕 0.01 mg/kg)	合格
10	狄氏剂	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
11	敌敌畏	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
12	丁草胺	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
13	毒死蜱	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
14	对硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
15	多效唑	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
16	二甲戊灵	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
17	氟氯氰菊酯	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
18	氟氰戊菊酯	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
19	腐霉利	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
20	环氟菌胺	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
21	己唑醇	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
22	甲基毒死蜱	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
23	甲氰菊酯	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
24	甲霜灵	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
25	腈菌唑	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20250516A1122

26	克菌丹(克菌灵)	mg/kg	GB 23200.8-2016	未检出(定量限: 0.8000mg/kg)	合格
27	啶硫磷	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
28	联苯菊酯	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
29	硫丹(α -硫丹和 β -硫丹及硫丹硫酸酯之和)	mg/kg	GB 23200.8-2016	未检出(定量限: α -硫丹 0.0750、 β -硫丹 0.0750mg/kg、硫丹硫酸酯 0.0375 mg/kg)	合格
30	六六六(α -六六六、 β -六六六、 γ -六六六和 δ -六六六之和)	mg/kg	GB 23200.113-2018	未检出(定量限: α -六六六 0.01 mg/kg、 β -六六六 0.01 mg/kg、 γ -六六六 0.01 mg/kg、 δ -六六六 0.01 mg/kg)	合格
31	氯菊酯	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
32	氯氰菊酯和高效氯氰菊酯	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
33	咪鲜胺	mg/kg	GB 23200.121-2021	未检出(定量限: 0.01mg/kg)	合格
34	醚菊酯	mg/kg	GB 23200.121-2021	未检出(定量限: 0.01mg/kg)	合格
35	啉菌环胺	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
36	啉霉胺	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
37	七氯	mg/kg	GB 23200.8-2016	未检出(定量限: 0.0376mg/kg)	合格
38	氰戊菊酯	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
39	噻嗪酮	mg/kg	GB 23200.121-2021	未检出(定量限: 0.01mg/kg)	合格
40	三氯杀螨醇	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
41	三氯杀螨砜	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
42	三唑醇	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
43	三唑酮	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
44	杀螟硫磷(杀螟松)	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
45	水胺硫磷	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
46	四氯硝基苯	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
47	五氯硝基苯	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
48	戊唑醇	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
49	虫螨腈(溴虫腈)	mg/kg	GB 23200.8-2016	未检出(定量限: 0.1000mg/kg)	合格
50	乙草胺	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格
51	乙烯菌核利	mg/kg	GB 23200.113-2018	未检出(定量限: 0.01mg/kg)	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20250516A1122

52	异丙甲草胺	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
53	异狄氏剂	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
54	异菌脲	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
55	仲丁威	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
56	氯硝胺	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
57	胺丙畏(巴胺磷)	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
58	吡唑醚菌酯	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
59	倍硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
60	苯硫磷(苯硫磷)	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
61	吡虫啉	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
62	吡氟禾草灵	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
63	吡菌磷(吡啶磷; 定菌磷)	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
64	丙溴磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
65	除线磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
66	哒嗪硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
67	敌瘟磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
68	地虫硫磷(地虫硫磷)	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
69	啶虫脒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
70	多菌灵	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
71	噁唑菌酮	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.02mg/kg)	合格
72	二嗪磷(二嗪农)	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
73	伐灭磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
74	砒吸磷	mg/kg	GB/T 20769-2008	未检出 (检出限: 0.00098mg/kg)	合格
75	伏杀硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
76	氟硅唑	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
77	甲胺磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
78	甲拌磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
79	保棉磷(甲基谷硫磷)	mg/kg	GB 23200.8-2016	未检出 (定量限 0.0750mg/kg)	合格
80	甲基立枯磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20250516A1122

81	甲基嘧啶磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
82	甲基乙拌磷	µg/g	GB/T 5009.218-2008(第 2 部分)	未检出 (定量限: 0.20µg/g)	合格
83	克百威(呋喃丹)	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
84	啶禾灵	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
85	乐果	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
86	邻苯基苯酚	mg/kg	GB 23200.8-2016	未检出 (定量限: 0.0126mg/kg)	合格
87	磷胺	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
88	硫环磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
89	硫线磷	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.005mg/kg)	合格
90	氯唑磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
91	马拉硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
92	嘧啶磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
93	灭多威	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
94	灭菌磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
95	灭线磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
96	灭蚜磷	mg/kg	GB/T 20769-2008	未检出 (检出限: 0.0049mg/kg)	合格
97	灭蝇胺	mg/kg	GB/T 20769-2008	未检出 (检出限: 0.00181mg/kg)	合格
98	内吸磷	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
99	扑灭津	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
100	噻虫啉	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
101	噻菌灵	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
102	噻螨酮	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
103	三唑磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
104	杀虫脒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
105	杀虫畏	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
106	杀扑磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
107	霜霉威	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
108	速灭磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
109	特丁硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20250516A1122

110	烯酰吗啉	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
111	烯唑醇	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
112	辛硫磷	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
113	氧乐果	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
114	乙拌磷	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
115	益棉磷(乙基谷硫磷)	mg/kg	GB/T 20769-2008	未检出 (检出限: 0.02723mg/kg)	合格
116	乙硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
117	乙霉威	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
118	乙嘧硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
119	异丙威	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
120	异稻瘟净	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
121	异柳磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
122	抑霉唑	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
123	茚虫威	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
124	蝇毒磷	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
125	莠去津	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
126	治螟磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
127	2,4-滴	mg/kg	NY/T 1434-2007	未检出 (方法检测限: 0.003mg/kg)	合格
128	甲基硫菌灵	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
129	涕灭威	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.002mg/kg)	合格
130	涕灭威砒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.002mg/kg)	合格
131	涕灭威亚砒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.002mg/kg)	合格
132	敌百虫	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
133	甲基对硫磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
134	久效磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
135	乙酰甲胺磷	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
136	百菌清	mg/kg	SN/T 2320-2009	未检出 (测定低限: 0.01mg/kg)	合格
137	溴氰菊酯	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
138	嘧菌酯	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
139	除虫脲	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20250516A1122

140	氟苯脒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
141	氟虫腈	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
142	氟虫脒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
143	氟啶脒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
144	氟铃脒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
145	灭幼脒	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
146	噻苯隆	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
147	砷(总砷)	mg/kg	GB 5009.268-2016(第一法)	未检出 (定量限: 0.005mg/kg)	合格
148	铅	mg/kg	GB 5009.268-2016(第一法)	未检出 (定量限: 0.05mg/kg)	合格
149	汞(总汞)	mg/kg	GB 5009.268-2016(第一法)	未检出 (定量限: 0.003mg/kg)	合格
150	铬	mg/kg	GB 5009.268-2016(第一法)	未检出 (定量限: 0.2mg/kg)	合格
151	镉	mg/kg	GB 5009.268-2016(第一法)	未检出 (定量限: 0.005mg/kg)	合格
152	氯氟氰菊酯	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
153	三氟甲吡醚	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
154	毒壤磷(毒壤膦)	mg/kg	GB 23200.113-2018	未检出 (定量限: 0.01mg/kg)	合格
155	虫酰肼	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
156	虱螨脲	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
157	甲基磺内吸磷	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
158	灭草松	mg/kg	GB/T 20769-2008	未检出 (检出限: 0.00026mg/kg)	合格
159	甲萘威	mg/kg	GB 23200.121-2021	未检出 (定量限: 0.01mg/kg)	合格
160	4-氯苯氧乙酸钠(以 4-氯苯氧乙酸计)	μg/kg	BJS 201703	10.3	合格
161	甲基异柳磷	mg/kg	GB 23200.13	未检出 (定量限: 0.01mg/kg)	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20250516A1122

注意事项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仅对来样负责。

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

Address: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

报告结束

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com