



# 检测报告

## Test Report

送检企业: 大庆捞捞福企业管理有限公司

样品名称: 西红柿

检验类别: 委托检验

厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co.Ltd



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司  
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com




报告编号: HYI20251028A2108

样品名称	: 西红柿	样品型号	: /
商标	: /	样品数量	: 500g
委托单位	: 大庆捞捞福企业管理有限公司		
委托单位地址	: 黑龙江省大庆市让胡路区龙十二路南 19 号楼 D01		
生产单位	: /		
生产单位地址	: /		
检验类别	: 委托检验	测试日期	: 2025 年 10 月 15 日-2025 年 10 月 28 日
签发日期	: 2025 年 10 月 28 日		
检验依据	: GB 2762-2022 《食品安全国家标准食品中污染物限量》 GB 2760-2024 《食品安全国家标准食品添加剂使用标准》 GB 2763-2021 《食品安全国家标准食品中农药最大残留限量》		
检验项目	: 见后续		
样品特征和状态	: 完好		
环境温度	: 24.6℃	环境湿度	: 63.8%
测试结果	: 本次委托检验, 所检项目全部符合标准要求		

报告编制: 张华伟

报告审核: 杨泽群



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI20251028A2108

## 检测结果:

序号	项目名称	单位	检测结果	检出限	技术要求	单项结论	检测方法
1	铅(以Pb计)	mg/kg	未检出	定量限: 0.04	≤0.3	符合	GB 5009.12-2023 第一法
2	山梨酸及其钾盐 (以山梨酸计)	g/kg	未检出	定量限: 0.01	不得使用	符合	GB 5009.28-2016 第一法
3	敌敌畏	mg/kg	未检出	0.01	≤0.5	符合	NY/T 761-2008 第1部分 方法二
4	氧乐果	mg/kg	未检出	0.02	≤0.02	符合	NY/T 761-2008 第1部分 方法二
以下空白							



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



## 注意事项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仪对来样负责。

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

\*\*\*报告结束\*\*\*

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司  
Xiamen Hongyi Testing Co., Ltd.

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com