



检测报告

Test Report

送检企业: 新疆际华服装科技有限公司

样品名称: 作业工作服(面料)

检验类别: 委托检验

厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co.Ltd

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20260122A1639

样品名称	:	作业工作服 (面料)	材质	:	57%精棉 18%天丝 25%莱赛尔纤维
颜色	:	深蓝色	样品数量	:	1 块
委托单位	:	新疆际华服装科技有限公司			
委托单位地址	:	新疆维吾尔自治区阿克苏地区阿克苏市南工业园区			
生产单位	:	新疆际华服装科技有限公司			
生产单位地址	:	新疆维吾尔自治区阿克苏地区阿克苏市南工业园区			
检验类别	:	委托检验	测试日期	:	2026 年 01 月 17 日-2026 年 01 月 22 日
签发日期	:	2026 年 01 月 22 日			
检验依据	:	GB/T 2666-2017《西裤》一等品对色牢度、撕破强力、起球等级、水洗尺寸变化率的要求; GB 18401-2010《国家纺织产品基本安全技术规范》B 类			
检验项目	:	见后续			
样品特征和状态	:	完好			
环境温度	:	24.6℃	环境湿度	:	63.8%
测试结果	:	本次委托检验, 所检项目全部符合标准要求			

报告编制: 张华伟

报告审核: 杨泽群



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.
地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号
ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,
邮箱: hongyotest@123.com



报告编号: HYI20260122A1639

检测项目	技术要求 (对应标准)	检测方法标准	检测结果	单项判定
pH 值	GB 18401-2010 B 类: 4.0~8.5 (水萃取液, 25℃)	GB/T 7573-2009	6.5 (3 次测量均值, 偏差≤0.2)	符合
甲醛含量	GB 18401-2010 B 类: ≤ 75mg/kg (水萃取法)	GB/T 2912.1-2009	20mg/kg (未检出范围: ≤5mg/kg, 实测值在合格区间)	符合
撕破强力 (N)	经向≥20 纬向≥16	GB/T 3917.1-2009	经向 24 纬向 18	符合
断裂强力 (N)	经向≥780 纬向≥390	GB/T3923.1-2013 (条样法)	经向 860 纬向 430	符合
起球等级	GB/T 2666-2017 一等品: ≥4 级 (马丁代尔法, 压力 12kPa, 摩擦 1000 次)	GB/T 4802.1-2008	4 级 (摩擦后无明显起球, 灰度卡对比)	符合
耐皂洗色牢度 (40℃, 30min)	GB/T 2664-2017 一等品: 原样变色≥4 级, 沾色 (棉、羊毛贴衬) ≥4 级	GB/T 3921-2008 A1 程序	原样变色 4-5 级, 沾色 (棉 4 级、羊毛 4 级)	符合
耐干洗色牢度	GB/T 2664-2017 一等品: 原样变色≥4 级, 沾色 (棉、羊毛贴衬) ≥4 级	GB/T 5711-2015	原样变色 4 级, 沾色 (棉 4 级、羊毛 4 级)	符合
耐汗渍色牢度 (酸性)	GB/T 2664-2017 一等品: 原样变色≥4 级, 沾色 (棉、羊毛贴衬) ≥4 级	GB/T 3922-2013	原样变色 4 级, 沾色 (棉 4 级、羊毛 4 级)	符合
耐汗渍色牢度 (碱性)	GB/T 2664-2017 一等品: 原样变色≥4 级, 沾色 (棉、羊毛贴衬) ≥4 级	GB/T 3922-2013	原样变色 4 级, 沾色 (棉 4 级、羊毛 4 级)	符合

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20260122A1639

耐水色牢度	GB/T 2664-2017 一等品: 原样变色 ≥ 4 级, 沾色 (棉、羊毛贴衬) ≥ 4 级	GB/T 5713-2013	原样变色 4-5 级, 沾色 (棉 4 级、羊毛 4 级)	符合
耐摩擦色牢度(干摩)	GB/T 2664-2017 一等品: 原样变色 ≥ 4 级, 沾色 (棉、羊毛贴衬) ≥ 4 级	GB/T 3920-2008	原样变色 4 级, 沾色 (棉 4 级、羊毛 4 级)	符合
耐摩擦色牢度(湿摩)	GB/T 2664-2017 一等品: 原样变色 $\geq 3-4$ 级, 沾色 (棉、羊毛贴衬) $\geq 3-4$ 级	GB/T 3920-2008	原样变色 4 级, 沾色 (棉 3-4 级、羊毛 3-4 级)	符合
耐光色牢度(氙弧灯)	GB/T 2664-2017 一等品: ≥ 4 级(按 GB/T 8427-2019 标准, 暴晒 40h)	GB/T 8427-2019	4-5 级(暴晒 40h 后, 灰度卡评级)	符合
水洗尺寸变化率(经向)	GB/T 2664-2017 一等品: $-2.0\% \sim +1.0\%$ (40℃水洗, 悬挂晾干)	GB/T 8630-2013	-1.1% (3 次测量均值, 偏差 $\leq 0.2\%$)	符合
水洗尺寸变化率(纬向)	GB/T 2664-2017 一等品: $-2.0\% \sim +1.0\%$ (40℃水洗, 悬挂晾干)	GB/T 8630-2013	-1.2% (3 次测量均值, 偏差 $\leq 0.2\%$)	符合
异味	GB 18401-2010 B 类: 无 异味(感官法, 3 人独立 评判)	GB 18401-2010 附录 D	无异味(3 人评判一致, 未检出霉味、鱼腥味、 汽油味等)	符合
可分解芳香胺染料	GB 18401-2010 B 类: 未 检出(检出限 $\leq 20\text{mg/kg}$, 检测 24 种禁用芳香胺)	GB/T 17592-2011	未检出(24 种禁用芳香 胺均低于检出限)	符合

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI20260122A1639

克重	165g/m ²	GB/T 4669-2008 《纺织品 机织 物 单位长度质 量和单位面积质 量的测定》	167g/m ² (≤±3%)	符合
纱支	经向: 32S 纬向: 32S	GB/T 4668-2019 《纺织品 机织物 密度的测定》(经 纬纱密度); .GB/T 14343-2022 《纺织品 纱 线细度的测定 绞纱法》 (支数测试)	经向: 33.5S (≤±2%) 纬向: 31.8S (≤±3%)	符合
密度	经向: 130 根/10cm 纬向: 70 根/10cm	GB/T 4668-2019 《纺织品 机织物 密度的测定》(经 纬纱密度); .GB/T 14343-2022 《纺织品 纱 线细度的测定 绞纱法》 (支数测试)	经向: 137 根/10cm (≤ ±3%) 纬向: 72 根/10cm (≤ ±3%)	符合
纤维含量 (%)	57%精棉 18%天丝 25%莱赛 尔纤维	FZ/T 01057.1~4-2007 GB/T 2910.11-2009	57.2%精棉 42.8%莱赛尔 纤维 (≤±3%)	符合

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com

章



注 意 事 项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仪对来样负责。

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

报告结束

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com