



# 检测报告

## Test Report

送检企业: 杭州巨星科技股份有限公司

样品名称: 气动扳手

检验类别: 委托检验

  
厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co.Ltd

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



样品名称	: 气动扳手	型号规格	: /
商标	: /	样品数量	: 10PCS
委托单位	: 杭州巨星科技股份有限公司		
委托单位地址	: 浙江省杭州市上城区九环路 35 号		
生产单位	: 杭州巨星科技股份有限公司		
取样地址	: 浙江省杭州市上城区九环路 35 号		
检验类别	: 委托检验	测试日期	: 2026 年 04 月 03 日-2026 年 04 月 23 日
签发日期	: 2026 年 04 月 23 日		
检验依据	: GB/T 32800.6-2023		
检验项目	: 见后续		
样品特征和状态	: 完好		
环境温度	: 24.6℃	环境湿度	: 62%
测试结果	: 不做判定		

报告编制: 张华伟

报告审核: 杨泽群

报告签发: 杨泽群





报告编号: HYI202604230A278

序号	检测项目	检测依据	标准要求	实测结果	单项评定
1	额定工作气压	GB/T 32800.6-2023 第 5.2 条	符合国标规定, 额定工作气压范围 0.4~0.63MPa, 气压波动容忍度符合对应等级要求	额定工作气压 0.5MPa, 波动范围±0.05MPa, 符合国标规定及波动容忍度要求	合格
2	空气消耗量	GB/T 32800.6-2023 第 5.3 条	在额定工作气压下, 空气消耗量符合国标限值, 无异常耗气现象	额定气压下, 实测空气消耗量为 25L/min, 符合国标限值要求, 无异常耗气	合格
3	空载转速	GB/T 32800.6-2023 第 5.4 条、GB/T 26547-2011	空载转速符合国标规定及产品设计要求, 转速稳定无异常波动	实测空载转速 2800r/min, 转速稳定, 无明显波动, 符合国标及设计要求	合格
4	最大输出扭矩	GB/T 32800.6-2023 第 5.5 条、GB/T 26547-2011	最大输出扭矩符合国标最低限值要求, 动态扭矩峰值稳定, 无异常衰减	实测最大输出扭矩 500N·m, 动态扭矩峰值稳定, 高于国标最低限值, 无衰减	合格
5	扭矩重复精度	GB/T 32800.6-2023 第 5.6 条、GB/T 26547-2011	相同工况下, 多次测试扭矩偏差符合国标要求, 重复精度≤±3%	10 次重复测试, 扭矩偏差≤±2.5%, 重复精度良好, 符合国标要求	合格
6	外观质量	GB/T 32800.6-2023 第 5.7 条	表面无裂纹、变形、锈蚀、破损; 标识清晰完整; 操作部件灵活可靠, 无卡滞	表面光洁无破损、锈蚀, 标识清晰, 操作部件灵活, 无卡滞现象	合格
7	密封性	GB/T 32800.6-2023 第 5.8 条	气路系统密封良好, 在额定工作气压下, 无漏气、渗气现象, 密封部件可靠	额定气压下, 气路密封良好, 无漏气、渗气现象, 密封性能达标	合格
8	安全性能 (噪声)	GB/T 32800.6-2023 第 6.2 条	工作噪声≤118dB, 符合职业健康安全检测要求	实测工作噪声 108dB, 符合国标噪声限值要求	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.





报告编号: HY1202604230A278

## 注意事项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仅对来样负责。

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

\*\*\*报告结束\*\*\*

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com